

Ms Leonora DUNNE Dadds LLP Crescent House 51 High Street Billericay Essex CM12 9AX Date:30th September 2021Our Reference:21/00092/LATEMP

Dear Ms Leonora DUNNE,

Licensing Act 2003 - Temporary Event Notice: First Floor 40 High Street Brentwood Essex CM14 4AJ EVENT on the 25th December 2021 EVENT to the 25th December 2021 ACTIVITIES: Provision of Late Night Refreshments Sale by Retail of Alcohol Regulated Entertainment

TIMES: 00:01 - 03:00 LOCATION: Licenced bar and restaurant COMMENTS: Christmas Eve event CAPACITY: 499

I am writing to acknowledge the receipt of the Temporary Event Notice for the above premise received in this department on 30th September 2021

The fee of £21 has been receipted and paid with thanks.

If the Police or Environmental Health believe that allowing the premises to be used in accordance with the TEN will undermine the licensing objectives, they must give the premises user and the licensing authority an objection notice within the period of three working days following the day on which they received the TEN.

You will need to display a copy of this acknowledgment in a prominent position at the premises. It is your responsibility as the applicant to do this.

If the Acknowledgment letter is not displayed a constable or authorised officer may require the premises user or nominated person to produce a copy of it. A constable or authorised officer may, at any reasonable time, enter the premises to which a TEN relates. A person commits an offence if he/she fails, without reasonable excuse, to produce either a copy of the Temporary Event Notice or acknowledgment letter upon request, or intentionally obstructs an authorised officer exercising these powers.

A Temporary Event Notice maybe withdrawn by the premises user, giving the Licensing Authority no less than 24 hours notice before the beginning of the temporary event. Should you cancel an event, but fail to withdraw the notice, the TEN will still count towards the limited number available per premises and applicant.

Where a Temporary Event Notice acknowledged by the Licensing Authority is lost, stolen, damaged or destroyed, the premises user may apply to the Licensing Authority for a copy of the notice. Any such application must be accompanied by the prescribed fee of £10.50.

We have also attached at page 2 some safety guidance from our Health and Safety team around bouncy castles, should you be considering use of them at this event.

Should you have any queries with regard to the above, please do not hesitate to contact this office.

Yours sincerely

Miss Dominika Jaskolska Licensing Technical Officer





## Bouncy castles and other play inflatables: Safety Advice

Serious incidents have occurred where inflatables have collapsed or blown away in windy conditions.

Simple precautions can help you avoid serious incidents, whether you supply or buy bouncy castles and inflatables, are hiring one for an event, or operate them.

Health and safety law applies to the supply, hire and use of inflatables for commercial purposes. It does not apply to private, domestic buyers and users.

The Health and Safety Executive have produced guidance that applies to inflatables devices used both outside and inside.

If you are intending to have a bouncy castle or a play inflatable at your event you need to have regard to the guidance which can be found using the following link:-

http://www.hse.gov.uk/entertainment/fairgrounds/inflatables.htm

The guidance details what you should do before you hire or buy a device and how it should be set up and used at the event. It is important to note that the guidance states:-

'When the inflatable is being operated outside, use an anemometer to measure the wind speed at regular intervals. If one of these is not available, the inflatable should not be operated outside.'

'Do **not** use smartphone weather applications to measure wind speed as they do not take localised wind conditions into account'

You need to ensure that you make suitable arrangements for the safe use of any bouncy castle or other play inflatable at your event.